












Item No.	Original Model	Photo	Specification
B52121	P.Audio		VC Diameter: 51.2mm VC Material:KSV-ALR
B40700	Mackie BMD440 BMD450 SRM450 S408 C300Z 77005-014		VC Diameter:44.4mm VC Material:KSV-CCAR
B44105	P-Audio 740, 740-8 P-Audio BMD-740, BMD 740, BMD-740-8, BMD740, BMD740-8 P-Audio 750, 750-8 P-Audio BMD-750, BMD 750, BMD-750-8, BMD750, BMD750-8		VC Diameter:72.2mm VC Material:KSV-CCAR
B31700	P-Audio Co-Ax BM12 CX38, BM12-CX38, BM12CX38 P-Audio Co-Ax BM15 CX38, BM15-CX38, BM15CX38		VC Diameter:72.2mm VC Material:NSV-ALRVC voice coil + dome
B55810	Turbosound RD210, RD-210, RD 210, RD-210-8, 210 Turbosound CD210, CD-210, CD 210, CD-210-8, 210-8 Turbosound RD212, RD-212, RD 212, RD-212-8, 212 Turbosound CD212, CD-212, CD 212, CD-212-8, 212-8		VC Diameter:72.2mm VC Material:NSV-ALR
B52721	Turbosound TXD252, TXD-252, TXD 252, TXD-252-8 Turbosound TXD15M, TXD-15M, TXD 15M, TXD-15M-8		VC Diameter:72.2mm VC Material:KSV-CCAR
B55511	P Audio BMD450 Series 2, BMD450 Series II / RCF445		VC Diameter:44.4mm VC Material:NSV-ALR
B55821	P Audio BMD750 Series 2, BMD750 Series II /		VC Diameter:72.2mm VC Material:NSV-ALR
B55822	Turbosound CD210 CD212 #10-085		VC Diameter:72.2mm VC Material:NSV-ALR
B52401	P Audio WN-D63, SD-63BF Driver		VC Diameter:63.0mm VC Material:KSV-ALR
B55825	P Audio Turbosound SD750N.8RD for SD750N SD740N Drive		VC Diameter:72.2mm VC Material:NSV-ALR



B53920	P Audio SD99N.8RD for SD990 Driver		VC Diameter:99.2mm VC Material:KSV-ALR
B44383	P Audio SD-75BF for SD75BN Driver		VC Diameter: 76.2mm VC Material:KSV-CCAR
B55515	P-AUDIO BM-D460		VC Diameter: 44.4mm VC Material:KSV-CCAR
B55830	P-AUDIO BM-D760		VC Diameter: 72.2mm VC Material:KSV-CCAR



Item No.	Original Model	Photo	Specification
B50211	Here is a list of the driver part #'s: 81498, 89588, 89858, 81514, DH2001, DH2005, DH2010A, DH3 Here is the list of some of the cabinet model #'s: BK315, Eliminator models, EVI12, EVI15, EVI28, FM1202 models, FM1502 models, Force (some models), FR15-2, Gladiator, High Q, S12-E, S15 models, S-122, S-152, S-1202, S-1503ER, S-1803ER, SA152, SH-1502, SH-1512, SL12, SX80 models, SX100 models, SX200 models, SX250, SX300 models, SX325, SX500 (some models), SXA100, SXA250, T15i, T22, T22+, T52, T52+, T53, T55+, Xi-1082 and more		VC Diameter:32.0 mm/ 31.8mm VC Material:KSV-ALR
B50202	EV DH3-ST/ EV DH3 DH2005		VC Diameter:32.0 mm/ 31.8mm VC Material:KSV-ALR
B42197	EV ND2-8 and ND2S-8		VC Diameter:51.0 mm VC Material:KSV-CCAR
B30771			VC Diameter:51.5mm VC Material:KSV-ALR
B46710	Electro Voice DH1K EV DH-1K ELX 112 115 215 F01U247593 Horn		VC Diameter:36.0mm VC Material:NSV-CCAR
B53721	Here is a list of the driver part #'s: 89796XX (use 81256XX), 0301251102, 301251001, DH1, DH1A, DH-1A, DH1AMT, DH1A-WP, DH1A-WPX, DH1012, DH-1012, DH1202, 89796 (use 81256XX), DH2012, DH-2012, N/DYM-1, N/DYM1MT, N/DYM1-0MT, ND6X-8, DML-1122APF, DML-1152APF, DML-1152MC, EJ1, EJ1X, FS-212, FS-212AC, TS550D-LX, TS940D, TS940D-LX, TS940S, TS9040D, TS9040D-LX, VARIPLEX B, F01U110542		VC Diameter:76.2mm VC Material:KSV-ALR



Item No.	Original Model	Photo	Specification
C41205	Mackie 350 V1, C 200, SA 1530z, FBT 2 & 4, B&C DE12 MMD12 DE12-16, MMD12-16 DN10/1704-8 0013925		VC Diameter:36.0mm VC Material:KSV-CCAR
B46700			VC Diameter:36.0mm VC Material:NSV-CCAR
B45450	B&C DE1050, D-BCMMD1050-8/ B&C DE1000TN DE1050TN DE1085TN		VC Diameter:100mm VC Material:KSV-CCAR
B45410	B&C DE1000		VC Diameter: 99.2mm VC Material: KSV-CCAR
C41820	B&C DE250 DE160 DE16 // B&C DE250-8 DE160-8 DE16-8 DE25-8		VC Diameter:44.4mm VC Material:KSV-CCAR
C41908			VC Diameter: 44.4mm VC Material: KSV-CCAR
C41720			VC Diameter: 44.4mm VC Material: KSV-CCAR
C42104			VC Diameter: 44.4mm VC Material: KSV-CCAR
B44330	B&C DE800, WGX800-8 Driver		VC Diameter: 74.5mm VC Material: KSV-CCAR
C76202			VC Diameter: 74.5mm VC Material: KSV-CCAR
C42109	B&C DE400-8 Driver, B&C MMD400 Driver.		VC Diameter: 44.4mm VC Material: KSV-CCAR
C41531			VC Diameter: 44.4mm VC Material: KSV-CCAR


C41835			VC Diameter: 44.4mm VC Material: KSV-CCAR
C42100	B&C DE25		VC Diameter: 44.4mm VC Material: KSV-CCAR
C41805	B&C DE25		VC Diameter: 44.4mm VC Material: KSV-CCAR
B40865	B&C DE500-8, B&C MMD500-8 / B&C De200, B&C MMD200-8		VC Diameter: 44.4mm VC Material: KSV-CCAR
C76630	Here is a list of the driver part #'s: DE75-8, DE75TN, DE750-8, DE750TN, DE82, DE82TN, DE85, DE85TN, DM5001, CD5001, DM5002, CD5002, DM5003, CD-5003, CD5003, DM5004, CD-5004, DM5005, CD5005, 803010, 803011, 803027, 803031, 806014, 806023 and many more.		VC Diameter: 74.5mm VC Material: KSV-CCAR (aluminum dome)
C76304	Here is the list of some of the cabinet model #'s: ASV7632, ASV7652x, CB152, CB259, CB2591, CD-2591, CB2592, JF200e, JF260e, KF400a, KF650e, KF695e, LA325, MC-4953, MC-4973, MH-660iE, MH-662iE, MH-690iE, MH-692iE, Nexo PS15, SM200iH, SM500iV and many more.		VC Diameter: 74.5mm VC Material: KSV-CCAR
C76200	Replacement Diaphragm for EAW Models DM-5001, DM5001, CD-5001, CD5001, 5001, DM-5002, DM5002, CD-5002, CD5002, 5002, DM-5003, DM5003, CD-5003, CD5003, 5003, DM-5004, DM5004, CD-5004, CD5004, 5004, DM-5005, DM5005, CD-5005, CD5005, 5005, DE-75-8, DE75-8, DE750-8, DE-750-8, MMD75-8, MMD75TN, DE75TN, DE-75TN, DE-75-TN, DE750TN, DE-750TN, DE-750-TN, DE82TN, DE-82TN, DE-82-TN, DE85TN, DE-85TN, DE-85-TN, ASV7632, ASV7652x, CB152, CB-152, CB259, CB-259, CB2591, CD-2591, CB2592, CB-2592, JF200e, JF-200e, JF260e, JF-260e, KF400a, KF-400a, KF650e, KF-650e, KF695e, KF-695e, LA325, LA-325, MC4953, MC-4953, MC4973, MC-4973, MH660iE, MH-660iE, MH662iE, MH-662iE, MH690iE, MH-690iE, MH692iE, MH-692iE, Nexo PS15, NEXO NH75R/K HF, NEXO NH75 R/K PS15 Diaphragm, NEXO NH75R/K RK, Nexo Alpha E NH82B-8, SM200iH, SM-200iH, SM500iV, SM-500iV, 803010, 806014, 806023, B&C and more.		VC Diameter: 74.5mm VC Material: KSV-CCAR
B44320			VC Diameter: 74.5mm VC Material: KSV-CCAR
C76201	B&C DE900		VC Diameter: 74.5mm VC Material: KSV-CCAR
C76031			VC Diameter: 74.5mm VC Material: KSV-CCAR




B43300	DE600, DE610. DE620		VC Diameter: 64.8mm VC Material: KSV-CCAR
B43310			

Item No.	Original Model (对应JBL driver型号)	Photo	Specification
B28560	4333B, 4612B, 4628B, 4698B, 4730A, SR4732, SR4732A, SR4732AT, SR4732N, SR4732X, SR4732XF, VRX932LA-1, VRX932LAP/230, 2402, 2402H, 2404H, 2404H-1, 2405, 2405H, 075, 077, 4623, 4682, 4602B, 4612OK, 4623B, 4680B		VC Diameter:44.4mm VC Material:KSV-CCAR
B56100	JBL 2446H 2447H 2445H 2450H 2451H 2452H / 2445J 2446J, 2447J, 2450J, 2451J, 2452J, 2446J, 2447J, 2450J, 2451J, 2452J SRX 725, SRX 722		VC Diameter:99.2mm VC Material:NSV-ALR
B45300			VC Diameter:99.2mm VC Material:KSV-CCAR
B54150			VC Diameter:99.2mm VC Material:KSV-CCAR
B44710	JBL 2431H 2430H 2435 SRX712 SRX714 VLA301 Aft Diaphragm fits PD5200 PD5212 PD5322 PD743 PD764		VC Diameter:76.2mm VC Material:KSV-CCAR
C39715	JBL 2408H-1 Here is the list of some of the cabinet model #'s: AC Series: AC18/26-WH, AC18/26, AC18/95-WH, AC18/95 , AC28/26-WH, AC28/26, AC28/95-WH, AC28/95 AM Series: AM5212/00-WH, AM5212/26-WH, AM5212/26, AM5212/64-WH, AM5212/64, AM5212/95-WH, AM5212/95, AM5215/26-WH, AM5215/26, AM5215/26-WH, AM5215/66, AM5215/95-WH, AM5215/95, AM5215/95-WH PRX Series: PRX512MI, PRX512MI/230, PRX625, PRX625/230, PRX615M		VC Diameter:38mm VC Material:KSV-ALW
C39720	JBL 2408H-2 can use 2408H-2, 2408H2, PRX700 Series, PRX-700 Series, PRX710, PRX 710, PRX712, PRX 712, PRX715, PRX 715, PRX725, PRX 725, PRX735, PRX 735, and many more!		VC Diameter:38mm VC Material:KSV-ALW
B32035	Here is a list of the driver part #'s: 2412, 2412H, 2412H-8, 2412-8, 2412-1, 2412H-1, 2412H-1-8, 2412-1-8 Here is the list of some of the cabinet model #'s: EON Series: EON10, EONPOWER10, EONPOWER10-G2, EON1500		VC Diameter:24.8mm VC Material:KSV





B32036	JRX 100 Series: JRX112M, JRX112Mi, JRX115M, JRX115Mi, JRX125 MPro Series: MP212, MP215, MP225, MP410 TR Series: TR105, TR125, TR126, TR225 SoundFactor Series: SF12M, SF12Mi, SF15M, SF15Mi, SF25		VC Diameter:24.8mm VC Material:KSV
C36670	JBL 2414H, 2414H-1, 2414H-C, EON 315, EON-305, 210P, 315, 510, 515XT, VRX 928, PRX 415		VC Diameter:24.8mm VC Material:KSV-CCAW
B36420	Speaker 2418H, 2418H-1, D8R2418, D8R2418-1 Horn Driver / EON G2 10-918		VC Diameter:44.4mm VC Material:KSV-CCAW
B36421			VC Diameter:44.4mm VC Material:KSV-CCAW
B55550	Here is a list of the driver part #'s: 2415, 2416, 2417, 2152 and 2155 models. Here is the list of some of the cabinet model #'s: G Series: G-730, G-731, G-732, G-733, G-734, G-791 MI Series: MI-261, MI-291, MI-630, MI-631, MI-632, MI-632A, MI-634 MR 800 Series: MR802, MR805, MR822, MR825, MR826, MR835, MR838 SR Series: SR4722, SR4735, SR4738, SR4722A, SR4735A, SR4738A SR X Series: SR4722X, SR4735X, SR4738X	 	VC Diameter:44.4mm VC Material:KSV-CCAR
B55560	Here is a list of the driver part #'s: 2410, 2420, 2421, 2425, 2426, 2427, 2461 and 2470 models. Here is the list of some of the cabinet model #'s:		VC Diameter:44.4mm VC Material:NSV-ALR
B51201	Cabaret Series: 4604, 4604B, 4627A, 4690A, 4691B, 4699B and more. Studio Monitor: 4430, 4435 and more. Theatre Series: 4671, 4671B, 4672A and more.		VC Diameter:44.4mm VC Material:KSV-ALR
C39710	Here is a list of the driver part #'s:2408, 2408H and more. Here is the list of some of the cabinet model #'s: MRX Series: MRX-512M, MRX-515, MRX-525		VC Diameter:38.0mm VC Material:KSV-ALW



C39713	PRX Series: PRX-512, PRX-512M, PRX-512MI, PRX-512, PRX-515, PRX-525, PRX-535, PRX-535S, PRX 612M/230, PRX615/230, PRX 625/230 Vertec Series: VT-4887A, VT-4887ADP		VC Diameter:38.0mm VC Material:KSV-ALW
C39700	JBL 2406 2406H 2406H-1 2407 2407H fits MP412 MP415 322C AM4215 Yorkville NX750P Diaphragm BMS-4538 Driver Elite E12, E15, E210B		VC Diameter:38.0mm VC Material:KSV-ALW
D35600	JBL / Selenium D250, D250X Driver		VC Diameter: 51.5mm VC Material:KSV-CCAW
B56103	JBL 2452H For Driver For SRX725, SRX722, VRX915		VC Diameter:99.2mm VC Material:NSV-ALR
B56115	JBL 2452H For SRX725, SRX722, VRX915		VC Diameter:99.2mm VC Material:NSV-ALR




Item No.	Original Model	Photo	Specification
B36366	Selenium D210Ti RPD210Ti		VC Diameter:44.4mm VC Material:KSV-CCAW
D26000	Selenium RPS T200		VC Diameter:62.2mm VC Material:KSV
B45570	Selenium RPD4400Ti For D408Ti & D4400T		VC Diameter:100mm VC Material:KSV-CCAR
B40922	JBL/ Selenium RPD220Ti, D220Ti		VC Diameter:44.4mm VC Material:KSV-CCAR
B44530	Selenium RPD3300Ti		VC Diameter:74.5mm VC Material:KSV-CCAR
JBL / Selenium	D250, D250X		VC Diameter: 51.5mm VC Material:KSV-CCAW

Item No.	Original Model	Photo	Specification
B52100	Peavey 22XT 22XT+ 22A RX22		VC Diameter:51.0 mm VC Material:KSV-ALR
B30620			VC Diameter:51.0 mm VC Material:KSV-ALR
B30621			VC Diameter:51.0 mm VC Material:KSV-ALR
B33526	Peavey RX14 ,14XT		VC Diameter:34.4 mm VC Material:KSV
B25260			VC Diameter:34.4 mm VC Material:KSV
B54150	Peavey 44XT 44T		VC Diameter:99.2 mm VC Material:KSV-ALR
B28560	JBL 2404; 2404H-1; 2405;2405H; Peavey HT94		VC Diameter:44.4mm VC Material:KSV-CCAR
B40700	Peavey Pro12, Pro15, Pro 175T, 175-T		VC Diameter:44.4mm VC Material:KSV-CCAR

Item No.	Original Model	Photo	Specification
B55511	P Audio BMD450 Series 2, BMD450 Series II / RCF445		VC Diameter:44.4mm VC Material:NSV-ALR
B40680	RCF M110 For EAW ND1710-MT3 Driver		VC Diameter:44.4mm VC Material:KSV-CCAR
B43200	RCF M104 For ND2530-T3 CD2530-T3		VC Diameter:63.7mm VC Material:KSV-CCAR
B44333	Rcf ND3020 ND3030 T3		VC Diameter:74.5mm VC Material:KSV-CCAR
C74830	RCF ND640, ND650		VC Diameter:63.7mm VC Material:KSV-CCAR
B43100			VC Diameter:63.7mm VC Material:KSV-CCAR
B44339	RCF N850 driver; M82- 8		VC Diameter:74.5mm VC Material:KSV-CCAR
C76120			VC Diameter:74.5mm VC Material:KSV-CCAR
C41537	RCF ND350 CD350	 	VC Diameter: 44.4mm VC Material:KSV-CCAR
C76003	RCF ND850, CD850 Driver		VC Diameter: 74.5mm VC Material: KSV-CCAR
B44415			VC Diameter: 74.5mm VC Material: KSV-CCAR
C41180	RCF ND1411		VC Diameter: 35.5mm VC Material: KSV-CCAR

Item No.	Original Model	Photo	Specification
D25500	Fostex,Foster 025H30, 025H27, 0013252, DC10/1501-16, H025N30, H025N27, H025N08, FT300H, N08, PHT-404, PHT-405, PHT-406, PHT-408, PHT- 410, PHT-411, PHT-412, PHT-413, PHT404, PHT405, PHT406, PHT408, PHT410, PHT411, PHT412, PHT413, PH-404, PH-405, PH-406, PH-408, PH-410, PH-411, PH-412, PH-413, PH404, PH405, PH406, PH408, PH410, PH411, PH412, PH413, HT-404, HT-405, HT-406, HT- 408		VC Diameter:25.4mm VC Material:KSV
B33150			VC Diameter:25.4mm VC Material:KSV
B32002			VC Diameter:25.4mm VC Material:KSV
D25520	Cerwin Vega H25 H-25 HO25 HO-25 Horn Driver		VC Diameter:25.4mm VC Material:KSV
B34000	CV Cerwin Vega CD34A Tweeter Aft Diaphragm for Intense INT-152 INT-252 Speaker		VC Diameter:34.4mm VC Material:KSV
B33410	CV Cerwin Vega CD44C Aft Diaphragm for Prostax PSX-123 PSX-153 PSX-253 Speaker		VC Diameter:44.4mm VC Material:KSV
D99150	Payton Audio RS28A-4RD		VC Diameter:25.4mm VC Material:KSV
D25400			VC Diameter:25.4mm VC Material:KSV
B50800	Altec Lansing 604E		VC Diameter:44.4mm VC Material:KSV-ALR
B40840	Wharfedale D-533A		VC Diameter:44.4mm VC Material:KSV-CCAR
B42225	Wharfedale Titan D-701 Wharfedale Titan D-701, D- 702A, Used In Titan 12 & 15 15p/15a/12a/15d/12d		VC Diameter:51.0mm VC Material:KSV-CCAW

B42220	Fits the following models: Delta12, Delta-12, Delta-12M, Delta15, Delta-15, Delta15M, Delta215, Delta-215, DLX12, DLX-12, DLX15, DLX-15, DLX153 DLX-153, DLX215, DLX-215, DLX-12M, DLX-15M, LX12, LX-12, LX-12E, LX-12M, LX-12ME, LX15, LX-15E, LX-15M, LX-15ME, LX153, LX-153, LX-153E, LX215, LX-215, LX-215E, LX15, LX-15B, LX-15BE, LX18B, LX18BE, LX18MB, LX18MBE, LX218B, LX218BE.		VC Diameter:51.0mm VC Material:KSV-CCAW
B36801	Eminence PSD2002-16, PSD2002S-16 Yamaha JAY2060, JAY2080, D-101AFT-16, MD 2001		VC Diameter:51.2mm VC Material:KSV-CCAW
B52211			VC Diameter:51.0mm VC Material:KSV-ALR
B40365	Harbinger ASP12, ASP15, Soundlab G591C, FANE CD.130		VC Diameter:34.4mm VC Material:KSV-CCAR
B33658			VC Diameter:34.4mm VC Material:KSV
B33461			VC Diameter: 34.4mm VC Material: KSV
B50441			VC Diameter: 34.4mm VC Material: KSV-ALR
B40283			VC Diameter: 34.4mm VC Material: KSV-CCAR
B44130	NX Audio-P7 Driver		VC Diameter:72.2mm VC Material:KSV-CCAR
C75110	Beyma CP750 TI / CP755 TI-ND		VC Diameter:72.2mm VC Material:KSV-CCAR
B45600	Beyma CP800-TI / CP850-ND-8 Driver		VC Diameter: 99.2mm VC Material:KSV-CCAR

B44450	Eighteen 18 Sound ND 2060, ND2080		VC Diameter: 74.5mm VC Material: KSV-CCAR
C76042			
C41834	Eighteen 18 Sound ND1070, ND1090, HD1050		VC Diameter: 44.4mm VC Material: KSV-CCAR
C41834			VC Diameter: 44.4mm VC Material:KSV-CCAR
C39755	BMS 4555		VC Diameter: 44.4mm VC Material: KSV-ALW
C39750	BMS 4548		VC Diameter: 44.4mm VC Material: KSV-ALW
C39700	JBL 2406 2406H 2406H-1 2407 2407H fits MP412 MP415 322C AM4215 Yorkville NX750P Diaphragm BMS-4538 Driver Elite E12, E15, E210B		VC Diameter:38.0mm VC Material:KSV-ALW
B33650	Samson / Hartke Driver HG00336 / CD34TI, CD34HS		VC Diameter:34.4mm VC Material:KSV
C21240	BMS4548,4555		VC Diameter: 44.4mm VC Material:KSV-CCAR
C41735	Celestion CDX1 1730, 1731, 1745, 1746 T5510 // Cerwin Vega CVP1152,CVP2153		VC Diameter: 44.4mm VC Material:KSV-CCAR
C42009			VC Diameter: 44.4mm VC Material:KSV-CCAR

B35830	Quantum Audio - QPT3D , Quantum Audio - QPT6D		VC Diameter: 25.4mm VC Material:KSV-CCAW
B53605	ERIC, BOUTUM, SPEAKER		VC Diameter:75.5mm VC Material:KSV-ALR